




# 32" Self-Service Indoor Kiosk

**- Customized Model**

**- Built in Mini PC**



**24/7** Support 24/7 Operation

 Timer On/Off

 LED backlight  
Energy-saving

**Easy** Easy installation

**Industrial** Metal Frame  
Housing

**Wide** Viewing Angle

**FHD** High Definition

**Smart** Thermal  
Management



## DESCRIPTION


NFS32CMP-E is a product designed to be used in an indoor environment. The unit offers reliable 24/7 operation, FHD resolution, LCD panel protection, capacitive 10-touch points, and Built in mini PC. Add-on peripherals are available to make the kiosk accomplish many different tasks.

## PRODUCT OVERVIEW

**Full High Definition (1080p)** Ability to display applications in different resolution options

**Support 24/7 operation** Long-life panel has high reliability and stability to ensure the system runs continuously during operation

**Time On/Off** Auto power On/Off setting allows to make display schedules and extends the system life time

**Built-in Mini PC**  INTEL i3 processor, 8GB Ram, 128GB SSD HDD

**RS232 control**  Remote management and configuration via RS232 allows the user to adjust and control the self-service kiosk

**Built-in Cooling Fans** The fans will work only when the system is up to the given temperature and requires cooling. This function ensures digital signage runs 24/7 operation without any damage to the screen

**Multi-user Interactivity** Multi-user capacitive 10-touch surface with 5mm protective tempered glass



**2 Year Warranty** NTRON warranties this product to be free from defects in material or workmanship for a period of two (2) years following the date of purchase, provided the product is used in an indoor environment


**Add-on Peripherals** ID Reader - Receipt Printer - Barcode Reader - Proximity Sensor - Fingerprint Reader - QR Code Reader - Credit Card Reader - Keyboard - Camera and more



## TECHNICAL SPECIFICATIONS

Model No	NFS32CMP-E
Screen Size / Touch	32inch / 10-Touch Capacitive
Unit Size(mm)	894(h)x1800(v)x70(d)
Display Size(mm)	392(h)x698(v)
Resolution	1920x1080
Brightness(cd/m <sup>2</sup> )	350 cd/m <sup>2</sup> max
Colors	16.7M
Contrast Ratio	1200:1 typ.
Input Power Voltage	AC100~240V(50Hz~60Hz)
Working Temperature	0° ~ 45°
Input / Output	VGA,HDMI,DVI,RJ45,RS232 / Video,Audio,RS232
Add-on Peripherals	Yes
Life Time	60000h
LCD Panel Protection	5mm Toughened Glass
Built-in Mini PC	INTEL i3, 8GB DDR3, 120GB SSD USB 2.0/3.0, 1xVGA,1x HDMI; 1x RJ45
Supplied Accessories	Power cable, HDMI cable, Remote Control, Manual

## PHYSICAL DIMENSIONS



All measurements may change according to the add-on peripherals included

Note: All measurements in millimeters (mm)