NTRON




55" Indoor Floor-Standing Kiosk

-Built in Android System



















NTRON



DESCRIPTION

NFST55-E-IR is a product designed to be used in an indoor environment. The unit offers reliable 24/7 operation, full HD(1080P) resolution, built in Android system, toughened glass and Apple style metal housing. It can be used in retail stores, shopping malls, schools, hospitals, banks, airports, metro stations, and other places that require digital signage solution.

PRODUCT OVERVIEW

Full High Definition (1080p) Ability to display applications in different resolution options.

Support 24/7 operation Long-life panel has high reliability and stability to ensure the

system runs continuously during operation.

Time On/Off Auto power On/Off setting allows to make display

schedules and extends the system life time.

Built in Android System Android system, 2GB/4GB memory, 8GB-32GB storage,

HDMI / VGA / RJ45 / USB2.0 and wireless connectivity



Built in Cooling Fans

The fans will work only when the system is up to the given temperature and requires cooling. This function ensures digital signage runs 24/7 operation without any damage to the screen.



Multi-user Interactivity

Multi-user 10-touch surface simultaneous touch interactivity



2 Year Warranty

NTRON warranties this product to be free from defects in material or workmanship for a period of two (2) years following the date of purchase, provided the product is used in an indoor environment.


NTRON



TECHNICAL SPECIFICATIONS

Model No	NFST55-E-IR
Screen Size / Touch	55inch / 10points IR Touch
Unit Size(mm)	810(h)x1900(v)x70(d)
Display Size(mm)	680(h) x1210(v)
Resolution	1920x1080
Brightness(cd/m²)	350 cd/m² max
Color	16.7M
Contrast Ratio	4000:1 typ.
Input Power Voltage	AC100~240V(50Hz~60Hz)
Working Temperature	0° ~ 45°
Input Ports	VGA, HDMI, RJ45, USB2.0
Response Time	8ms
Lifespan	60000h
Accessories Gross Weight / Net Weight	Power cable, HDMI cable, Remote control 75KG / 65KG

PHYSICAL DIMENSIONS



A: 2000mm
B: 835mm
C: 550mm
D: 70mm
E: 60mm
F: 1219mm
G: 688mm
H: R38mm

I: 810mm

Note: All measurements in millimeters (mm)

