




55" Interactive Digital Signage Display

Built-in Android System



24/7 Support 24/7 Operation

 Timer On/Off

 LED backlight
Energy-saving

Easy Easy installation

Industrial Metal Frame
Housing

Wide Viewing Angle

FHD High Definition

Smart Thermal
Management



DESCRIPTION

TFP55DP-E10 is a product designed to be used in an indoor environment. The unit offers reliable 24/7 operation, 10-touch capacitive touch, FHD resolution, LCD panel protection, dust-proof grade, and Built in Android system. Application venues: public places, factories, airports, commercial buildings, banks, and other places that needs industrial grade digital signage solutions.

PRODUCT OVERVIEW


Full High Definition	Ability to display applications in different resolution options
Support 24/7 operation	Long-life panel has high reliability and stability to ensure the system runs continuously during operation
Time On/Off	Auto power On/Off setting allows to make display schedules and extends the system life time
Built-in Android System	Android system 5.1, 2GB/4GB Ram, 32GB Storage, HDMI / VGA /RJ45 / USB2.0 /Wireless
2 Year Warranty	NTRON warranties this product to be free from defects in material or workmanship for a period of two (2) years following the date of purchase, provided the product is used in an indoor environment
Capacitive Touch	Multi-user 10-touch surface simultaneous touch interactivity
Built in Cooling Fans	The fans will work only when the monitor is up to the given temperature and requires cooling. This function ensures LCD monitor operates 24/7 without any damage to the screen.
Dust Proof	Protection against dust to provide optimal protection



TECHNICAL SPECIFICATIONS

Model No	TFP55DP-E10
Screen Size / Touch	55inch / 10-Touch
Unit Size(mm)	1368(h)x830(v)x70(d)
Display Size(mm)	1209 (h)x680(v)
Resolution	1920x1080
Brightness(cd/m ²)	350 cd/m ² max
Colors	16.7M
Contrast Ratio	1200:1 typ.
Input Power Voltage	AC100~240V(50Hz~60Hz)
ColorTemperature	10000K
Input Ports	VGA - HDMI - RJ45 - USB2.0
Response Time	8ms
Life Time	40000h
Working Temperature	0° ~ 45°
Operating System	Android system 5.1, 2GB/4GB Ram, 8/16/32GB Storage, HDMI / VGA /RJ45 / USB2.0 /Wireless
Supplied Accessories	Power cable, HDMI cable, Remote Control, Manual

PHYSICAL DIMENSIONS



Note: All measurements in millimeters (mm)