




## Interactive Pro Smart Table

-Built in Android System



**24/7** Support 24/7 Operation

 Timer On/Off

 LED backlight  
Energy-saving

**Easy** Easy installation

**Industrial** Metal Frame  
Housing

**Wide** Viewing Angle

**FHD** High Definition

**Smart** Thermal  
Management



## DESCRIPTION

NTRON Pro Smart Table is a multi-user interactive touch-screen designed to be used in an indoor environment. The unit offers reliable 24/7 operation capability, high definition resolution, built-in android system, toughened glass and capacitive 10-touch feature. Pro Smart Table is available in 43", 49" and 55" with optional mini PC.

## PRODUCT OVERVIEW

### **High Definition**

Ability to display applications in high-definition resolution.

### **Support 24/7 operation**

Long-life panel has high reliability and stability to ensure the system runs continuously during operation.

### **Time On/Off**

Auto power On/Off setting allows to make display schedules and extends the system life time.

### **Built in Android System**

Android system, 2GB/4GB memory, 8GB-32GB storage, HDMI / VGA / RJ45 / USB2.0 and wireless connectivity



### **Built in Cooling Fans**

The fans will work only when the system is up to the given temperature and requires cooling. This function ensures digital signage runs 24/7 operation without any damage to the screen.



### **Multi-user Capacitive Touch**

Multi-user 10-touch surface simultaneous touch interactivity



### **2 Year Warranty**

NTRON warranties this product to be free from defects in material or workmanship for a period of two (2) years following the date of purchase, provided the product is used in an indoor environment.



## TECHNICAL SPECIFICATIONS

Model No	NTT43A-P-E	NTT49A-P-E	NTT55A-P-E
Screen Size	43inch	49inch	55inch
Unit Size(mm) H x V x D	1276x508x760	1397x503x828	1542x503x911
Display Size(mm) H x V	952x535	1074x604	1210x680
Resolution	1920x1080		
Brightness(cd/m <sup>2</sup> )	350 cd/m <sup>2</sup> max		
Colors	16.7M		
Contrast Ratio	2000:1 typ.	2000:1 typ.	1000:1 typ.
Backlight	LED		
Pixel Pitch (H x V)	0.49x0.49	0.372x0.372	0.63x0.63
Viewing Angle	178°(h) / 178°(v)		
Response Time	8ms		
Touch	Capacitive 10-touch points		
Color Temperature	10000K		
Input Power Voltage	AC100~240V(50Hz~60Hz)		
Working Temperature	0° ~ 45°		
Lifespan	40000h		
Operating System	Android 5.1		
Input Ports	HDMI, RJ45, USB		
Accessories	Power cable, HDMI cable, Remote control		

## Design

**Color:** white or black (any other color is chargeable)

**Table Height:** 750mm-1000mm (customized height is possible)

**Operating System:** Standard Android 5.1

**Mini PC:** optional( Intel i3-i5-i7 with win10 pro)

**Wheel Base:** optional

**Customer Logo:** optional